ELSEVIER

Brain Research 957 (2002) 383–385

BRAIN RESEARCH

www.elsevier.com/locate/brainres

Author Index

Adachi, N., see Namba, C. (957) 271
Agil, A., see Masocha, W. (957) 311
Ahtee, L., see Gäddnäs, H. (957) 76
Alila-Johansson, A., see Gäddnäs, H. (957) 76
Ambrosio, S., see Barrachina, M. (957) 84
An, S.-J., see Kang, T.-C. (957) 242
Arai, T., see Namba, C. (957) 271
Araujo de Baptista, E., see Baptista, T. (957) 144
Armstead, W.M.
G protein activation elicits cerebrovasodilation through interaction with K_{ATP} and K_{Ca} channels (957) 369
Astrelin, A.V., see Sokolov, M.V. (957) 61

Baek, N.-I., see Kang, T.-C. (957) 242
Baeyens, J.M., see Masocha, W. (957) 311
Baptista, T., Araujo de Baptista, E., Ying Kin, N.M.K.N., Beaulieu, S., Walker, D., Joober, R., Lalonde, J. and Richard, D.
Comparative effects of the antipsychotics sulpiride or risperidone in rats. I: Bodyweight, food intake, body composition, hormones and glucose tolerance (957) 144
Barakat-Walter, I., see Schenker, M. (957) 259
Barrachina, M., Secades, J., Lozano, R., Gómez-Santos, C., Ambrosio, S. and Ferrer, I.
Citicoline increases glutathione redox ratio and reduces caspase-3 activation and cell death in staurosporine-treated SH-SY5Y human neuroblastoma cells (957) 84
Beaulieu, S., see Baptista, T. (957) 144
Bereiter, D.A., see Cairns, B.E. (957) 338
Berthoud, H.-R., see Zheng, H. (957) 298
Biello, S.M., see Lall, G.S. (957) 109
Bondy, S.C., see Sharman, E.H. (957) 223
Bregola, G., see Rodi, D. (957) 354
Brown, R.W., see Liu, J.Z. (957) 320
Burke, T.F., see Valdez, M. (957) 174

Cairns, B.E., Sim, Y., Bereiter, D.A., Sessle, B.J. and Hu, J.W.
Influence of sex on reflex jaw muscle activity evoked from the rat temporomandibular joint (957) 338
Cui, C.-L., see Ren, Y.-H. (957) 129

Dai, T.H., see Liu, J.Z. (957) 320
Dar, M.S. and Mustafa, S.J.
Acute ethanol/cannabinoid-induced ataxia and its antagonism by oral/systemic/intracerebellar A_1 adenosine receptor antisense in mice (957) 53
De Nicola, A.F., see Saravia, F.E. (957) 345
Dettbarn, W.-D., see Milatovic, D. (957) 330
Diaz, F.G., see Phillis, J.W. (957) 12
Donga, R., see Inoue, M. (957) 183
Driscoll, D.J., see Ge, Y.-L. (957) 42

Ehlers, C.L. and Somes, C.
Long latency event-related potentials in mice: effects of stimulus characteristics and strain (957) 117
Evans, M.S., see Yang, L. (957) 99

Faingold, C., see Yang, L. (957) 99
Fekete, C., Wittmann, G., Liposits, Z. and Lechan, R.M.
GABA-ergic innervation of thyrotropin-releasing hormone-synthesizing neurons in the hypothalamic paraventricular nucleus of the rat (957) 251
Ferrer, I., see Barrachina, M. (957) 84
Frey, J.U., see Sokolov, M.V. (957) 61

Gäddnäs, H., Pietilä, K., Alila-Johansson, A. and Ahtee, L.
Pineal melatonin and brain transmitter monoamines in CBA mice during chronic oral nicotine administration (957) 76
Gastard, M., Jensen, S.L., Martin III, J.R., Williams, E.A. and Zahm, D.S.
The caudal sublenticular region/anterior amygdaloid area is the only part of the rat forebrain and mesopontine tegmentum occupied by magnocellular cholinergic neurons that receives outputs from the central division of extended amygdala (957) 207
Ge, Y.-L., Ohta, T., Driscoll, D.J., Nicholls, R.D. and Kalra, S.P.
Anorexigenic melanocortin signaling in the hypothalamus is augmented in association with failure-to-thrive in a transgenic mouse model for Prader–Willi syndrome (957) 42
Gómez-Santos, C., see Barrachina, M. (957) 84
Gonzalez Deniselle, M.C., see Saravia, F.E. (957) 345
González, L.G., see Masocha, W. (957) 311
Gonzalez, S.L., see Saravia, F.E. (957) 345
Gupta, R.C., see Milatovic, D. (957) 330

Han, J.-s., see Ren, Y.-H. (957) 129
Hay, M., see Pamidimukkala, J. (957) 162
Hefco, V., see Olariu, A. (957) 278
Hensler, J.G., see Valdez, M. (957) 174
Ho Won, M., see Kang, T.-C. (957) 242
Hoang, C.J., see Pamidimukkala, J. (957) 162
Homo-Delarche, F., see Saravia, F.E. (957) 345
Hoon Bahn, J., see Kang, T.-C. (957) 242
Hu, J.W., see Cairns, B.E. (957) 338

Inoue, M., Nozawa-Inoue, K., Donga, R. and Yamada, Y.
Convergence of selected inputs from sensory afferents to trigeminal premotor neurons with possible projections to masseter motoneurons in the rabbit (957) 183

Jensen, S.L., see Gastard, M. (957) 207
Joober, R., see Baptista, T. (957) 144

Kaczmarek, L., see Nikolaev, E. (957) 91
Kalra, S.P., see Ge, Y.-L. (957) 42
Kandori, A., see Oe, H. (957) 373
Kang, T.-C., Park, S.-K., Koo Hwang, I., An, S.-J., Hoon Bahn, J., Won Kim, D., Young Choi, S., Kwon, O.-S., Baek, N.-I., Yong Lee, H. and Ho Won, M.
Changes in pyridoxal kinase immunoreactivity in the gerbil hippocampus following spontaneous seizure (957) 242
Karimnamazi, H., Travers, S.P. and Travers, J.B.
Oral and gastric input to the parabrachial nucleus of the rat (957) 193

0006-8993/02/$ – see front matter © 2002 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(02)03904-5

Kelly, M.E., Staines, W.A. and McIntyre, D.C.
Secondary generalization of hippocampal kindled seizures in rats: examining the role of the piriform cortex (957) 152
Kevetter, G.A. and Leonard, R.B.
Decreased expression of calretinin and calbindin in the labyrinth of old gerbils (957) 362
Klompmakers, A.A., see Westerink, R.H.S. (957) 25
Koo Hwang, I., see Kang, T.-C. (957) 242
Kuntzer, T., see Schenker, M. (957) 259
Kuroda, E., see Okada, K. (957) 37
Kwon, O.-S., see Kang, T.-C. (957) 242

Lall, G.S. and Biello, S.M.
Attenuation of phase shifts to light by activity or neuropeptide Y: a time course study (957) 109
Lalonde, J., see Baptista, T. (957) 144
Lapouble, E., Montécot, C., Sevestre, A. and Pichon, J.
Phosphinothricin induces epileptic activity via nitric oxide production through NMDA receptor activation in adult mice (957) 46
Lechan, R.M., see Fekete, C. (957) 251
Leonard, R.B., see Kevetter, G.A. (957) 362
Lima, A., see Saravia, F.E. (957) 345
Liposits, Z., see Fekete, C. (957) 251
Liu, J.Z., Dai, T.H., Sahgal, V., Brown, R.W. and Yue, G.H.
Nonlinear cortical modulation of muscle fatigue: a functional MRI study (957) 320
Liu, K., see Namba, C. (957) 271
Long, C., see Yang, L. (957) 99
Lozano, R., see Barrachina, M. (957) 84
Luo, F., see Ren, Y.-H. (957) 129

Mamiya, T., see Olariu, A. (957) 278
Martin III, J.R., see Gastard, M. (957) 207
Masocha, W., González, L.G., Baeyens, J.M. and Agil, A.
Mechanisms involved in morphine-induced activation of synaptosomal Na^+,K^+-ATPase (957) 311
Massi, M., see Rodi, D. (957) 354
Matsunaga, K., see Okada, K. (957) 37
McIntyre, D.C., see Kelly, M.E. (957) 152
Milatovic, D., Gupta, R.C. and Dettbarn, W.-D.
Involvement of nitric oxide in kainic acid-induced excitotoxicity in rat brain (957) 330
Miyashita, K., see Oe, H. (957) 373
Mohammed, A.H., see Nikolaev, E. (957) 91
Montécot, C., see Lapouble, E. (957) 46
Mori, S.-i., Morishima, S., Takasaki, M. and Okada, Y.
Impaired activity of volume-sensitive anion channel during lactacidosis-induced swelling in neuronally differentiated NG108-15 cells (957) 1
Morishima, S., see Mori, S.-i. (957) 1
Murakami, M., see Oe, H. (957) 373
Mustafa, S.J., see Dar, M.S. (957) 53

Nabeshima, T., see Olariu, A. (957) 278
Namba, C., Adachi, N., Liu, K., Yorozuya, T. and Arai, T.
Suppression of sodium pump activity and an increase in the intracellular Ca^{2+} concentration by dexamethasone in acidotic mouse brain (957) 271
Naritomi, H., see Oe, H. (957) 373
Ni, Z., see Sharman, E.H. (957) 223
Nicholls, R.D., see Ge, Y.-L. (957) 42
Nikolaev, E., Kaczmarek, L., Zhu, S.W., Winblad, B. and Mohammed, A.H.
Environmental manipulation differentially alters c-Fos expression in amygdaloid nuclei following aversive conditioning (957) 91
Nozawa-Inoue, K., see Inoue, M. (957) 183

Oe, H., Kandori, A., Murakami, M., Miyashita, K., Tsukada, K. and Naritomi, H.
Cortical functional abnormality assessed by auditory-evoked magnetic fields and therapeutic approach in patients with chronic dizziness (957) 373
Ohta, T., see Ge, Y.-L. (957) 42
Okada, K., Matsunaga, K., Yuhi, T., Kuroda, E., Yamashita, U. and Tsuji, S.
The long-term high-frequency repetitive transcranial magnetic stimulation does not induce mRNA expression of inflammatory mediators in the rat central nervous system (957) 37
Okada, Y., see Mori, S.-i. (957) 1
Olariu, A., Yamada, K., Mamiya, T., Hefco, V. and Nabeshima, T.
Memory impairment induced by chronic intracerebroventricular infusion of beta-amyloid (1–40) involves downregulation of protein kinase C (957) 278
Ono, K., see Tsumori, T. (957) 231
O'Regan, M.H., see Phillis, J.W. (957) 12

Pamidimukkala, J., Hoang, C.J. and Hay, M.
Expression of metabotropic glutamate receptor 8 in autonomic cell groups of the medulla oblongata of the rat (957) 162
Park, S.-K., see Kang, T.-C. (957) 242
Patterson, L.M., see Zheng, H. (957) 298
Phillis, J.W., Diaz, F.G., O'Regan, M.H. and Pilitsis, J.G.
Effects of immunosuppressants, calcineurin inhibition, and blockade of endoplasmic reticulum calcium channels on free fatty acid efflux from the ischemic/reperfused rat cerebral cortex (957) 12
Pichon, J., see Lapouble, E. (957) 46
Pietilä, K., see Gäddnäs, H. (957) 76
Pilitsis, J.G., see Phillis, J.W. (957) 12
Polidori, C., see Rodi, D. (957) 354
Potashner, S.J., see Suneja, S.K. (957) 366

Ren, Y.-H., Wang, B., Luo, F., Cui, C.-L., Zheng, J.-W. and Han, J.-s.
Peripheral electric stimulation attenuates the expression of cocaine-induced place preference in rats (957) 129
Revsin, Y., see Saravia, F.E. (957) 345
Richard, D., see Baptista, T. (957) 144
Riederer, B.M., see Schenker, M. (957) 259
Rizzoli, S., Sharma, G. and Vijayaraghavan, S.
Calcium rise in cultured neurons from medial septum elicits calcium waves in surrounding glial cells (957) 287
Rodi, D., Polidori, C., Bregola, G., Zucchini, S., Simonato, M. and Massi, M.
Pro-nociceptin/orphanin FQ and NOP receptor mRNA levels in the forebrain of food deprived rats (957) 354
Roig, P., see Saravia, F.E. (957) 345
Rossokhin, A.V., see Sokolov, M.V. (957) 61

Sahgal, V., see Liu, J.Z. (957) 320
Saravia, F.E., Revsin, Y., Gonzalez Deniselle, M.C., Gonzalez, S.L., Roig, P., Lima, A., Homo-Delarche, F. and De Nicola, A.F.
Increased astrocyte reactivity in the hippocampus of murine models of type 1 diabetes: the nonobese diabetic (NOD) and streptozotocin-treated mice (957) 345
Schenker, M., Riederer, B.M., Kuntzer, T. and Barakat-Walter, I.
Thyroid hormones stimulate expression and modification of cytoskeletal protein during rat sciatic nerve regeneration (957) 259
Secades, J., see Barrachina, M. (957) 84
Sessle, B.J., see Cairns, B.E. (957) 338
Sevestre, A., see Lapouble, E. (957) 46
Sharma, G., see Rizzoli, S. (957) 287
Sharman, E.H., Vaziri, N.D., Ni, Z., Sharman, K.G. and Bondy, S.C.
Reversal of biochemical and behavioral parameters of brain aging by melatonin and acetyl L-carnitine (957) 223
Sharman, K.G., see Sharman, E.H. (957) 223
Sim, Y., see Cairns, B.E. (957) 338
Simonato, M., see Rodi, D. (957) 354
Sokolov, M.V., Rossokhin, A.V., Astrelin, A.V., Frey, J.U. and Voronin, L.L.

Quantal analysis suggests strong involvement of presynaptic mechanisms during the initial 3 h maintenance of long-term potentiation in rat hippocampal CA1 area in vitro (957) 61
Somes, C., see Ehlers, C.L. (957) 117
Staines, W.A., see Kelly, M.E. (957) 152
Suneja, S.K. and Potashner, S.J.
TrkB levels in the cochlear nucleus after unilateral cochlear ablation: correlations with post-lesion plasticity (957) 366

Takasaki, M., see Mori, S.-i. (957) 1
Travers, J.B., see Karimnamazi, H. (957) 193
Travers, S.P., see Karimnamazi, H. (957) 193
Tsuji, S., see Okada, K. (957) 37
Tsukada, K., see Oe, H. (957) 373
Tsumori, T., Yokota, S., Ono, K. and Yasui, Y.
Synaptic organization of GABAergic projections from the substantia nigra pars reticulata and the reticular thalamic nucleus to the parafascicular thalamic nucleus in the rat (957) 231

Valdez, M., Burke, T.F. and Hensler, J.G.
Selective heterologous regulation of 5-HT_{1A} receptor-stimulated [^{35}S]GTPγS binding in the anterior cingulate cortex as a result of 5-HT_2 receptor activation (957) 174
Vaziri, N.D., see Sharman, E.H. (957) 223
Vijayaraghavan, S., see Rizzoli, S. (957) 287
Vijverberg, H.P.M., see Westerink, R.H.S. (957) 25
Voronin, L.L., see Sokolov, M.V. (957) 61

Walker, D., see Baptista, T. (957) 144
Wang, B., see Ren, Y.-H. (957) 129
Westenberg, H.G.M., see Westerink, R.H.S. (957) 25
Westerink, R.H.S., Klompmakers, A.A., Westenberg, H.G.M. and Vijverberg, H.P.M.
Signaling pathways involved in Ca^{2+}- and Pb^{2+}-induced vesicular catecholamine release from rat PC12 cells (957) 25
Williams, E.A., see Gastard, M. (957) 207
Winblad, B., see Nikolaev, E. (957) 91
Wittmann, G., see Fekete, C. (957) 251
Won Kim, D., see Kang, T.-C. (957) 242

Xu, H.-P. and Yang, X.-L.
Different effects of low Ca^{2+} on signal transmission from rods and cones to bipolar cells in carp retina (957) 136

Yamada, K., see Olariu, A. (957) 278
Yamada, Y., see Inoue, M. (957) 183
Yamashita, U., see Okada, K. (957) 37
Yang, L., Long, C., Evans, M.S. and Faingold, C.
Ethanol withdrawal results in aberrant membrane properties and synaptic responses in periaqueductal gray neurons associated with seizure susceptibility (957) 99
Yang, X.-L., see Xu, H.-P. (957) 136
Yasui, Y., see Tsumori, T. (957) 231
Ying Kin, N.M.K.N., see Baptista, T. (957) 144
Yokota, S., see Tsumori, T. (957) 231
Yong Lee, H., see Kang, T.-C. (957) 242
Yorozuya, T., see Namba, C. (957) 271
Young Choi, S., see Kang, T.-C. (957) 242
Yue, G.H., see Liu, J.Z. (957) 320
Yuhi, T., see Okada, K. (957) 37

Zahm, D.S., see Gastard, M. (957) 207
Zheng, H., Patterson, L.M. and Berthoud, H.-R.
CART in the dorsal vagal complex: sources of immunoreactivity and effects on Fos expression and food intake (957) 298
Zheng, J.-W., see Ren, Y.-H. (957) 129
Zhu, S.W., see Nikolaev, E. (957) 91
Zucchini, S., see Rodi, D. (957) 354